



United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
07/29/2003	Tomoaki Hirayama	9683/157	5919
90 04/27/2005		EXAM	INER
Joseph W. Flerlage		APPIAH, CHARLES NANA	
ER GILSON & LIONE			
5		ART UNIT	PAPER NUMBER
60610		2686	
	07/29/2003 90 04/27/2005 rlage ER GILSON & LIONE 5	07/29/2003 Tomoaki Hirayama 90 04/27/2005 rlage R GILSON & LIONE 5	07/29/2003 Tomoaki Hirayama 9683/157 90 04/27/2005 EXAM rlage APPIAH, CHA CR GILSON & LIONE 5 ART UNIT

DATE MAILED: 04/27/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

		\\		
Office Action Summary	Application No.	Applicant(s)		
	10/629,054	HIRAYAMA ET AL.		
Onice Action Summary	Examiner	Art Unit		
The MAIL INC DATE of this communication on	Charles Appiah	2686		
The MAILING DATE of this communication apperiod for Reply	pears on the cover sneet with the c	correspondence address		
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).				
Status				
1) Responsive to communication(s) filed on 29 J	ulv 2003.			
	s action is non-final.			
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.				
Disposition of Claims				
4) ⊠ Claim(s) 1-14 is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) □ Claim(s) is/are allowed. 6) ⊠ Claim(s) 1-14 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and/or	wn from consideration.			
Application Papers				
9)☐ The specification is objected to by the Examine	er.			
10) The drawing(s) filed on is/are: a) □ accepted or b) □ objected to by the Examiner.				
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).				
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.				
Priority under 35 U.S.C. § 119				
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureat * See the attached detailed Office action for a list	ts have been received. ts have been received in Applicationity documents have been received in (PCT Rule 17.2(a)).	ion No ed in this National Stage		
Attachment(s)				
1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)				
Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date	Paper No(s)/Mail D			

Art Unit: 2686

DETAILED ACTION

Double Patenting

1. Claims 1, 2, 9, 13, and 14 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 1-3 of U.S. Patent No. 6,658,257. Although the conflicting claims are not identical, they are not patentably distinct from each other because the claims of the instant application are broad enough to be encompassed by the claims of the patent and as such it would have been obvious to one of ordinary skill in the art to implement the claims of the instant invention using the claims of the patent in order to allocate frequencies for high quality communications.

Claim Objections

2. Claim 1 is objected to because of the following informalities: It appears "share" on line 4 should be changed to "shared" in order to correct an apparent typographical error.

Appropriate correction is required.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the

Art Unit: 2686

applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

4. Claims 1, 2, 8-12, 13 and 14 are rejected under 35 U.S.C. 102(e) as being anticipated by **Kotzin et al. (5,708,969).**

Regarding claim 1, Kotzin discloses a frequency allocation method in a cellular radio communication system wherein a plurality of carriers provide radio communication services in overlapping service areas: designating respectively allotted frequency bands of a shared predetermined frequency band to each carrier, each frequency band having a plurality of communication frequency bands (assignment of two group spectra or complementary frequency spectra, first and second spectrum (X and Y), see col. 4, lines 5-36), and allotting within the frequency bands allotted to each carrier, adjacent frequency bands which are adjacent to frequency bands allotted to other carriers to low power communications and non-adjacent frequency bands which are not adjacent to frequency bands allotted to other carriers to high power communications (allocation of frequencies to high powered transmissions and low-powered transmissions including assignment of similar power levels to adjacent frequencies to which ensures adjacent channel interference being minimized, col. 2, lines 26-67, col. 5, line 66 to col. 6, line 61).

Regarding claim 2, Kotzin further discloses wherein the high power communications comprise communications performed by high power mobile stations, and the low power communications comprise communications performed by low power communications (see col. 4, lines 49-64).

Art Unit: 2686

Regarding claim 8, Kotzin further teaches allotting the non-adjacent frequency bands including a communication band being the highest and a communication band being the lowest in a frequency band corresponding to low power communications (see col. 4, lines 37-64).

Claim 9, which recite the system for implementing the method steps of claim 1 is rejected for the same reasons as set forth for claim 1 above.

Regarding claims 10 and 11, Kotzin's teaching of a base station site as illustrated in Fig. 2 and inherent mobile communications switching stations (resource controller 52) meet the limitation of base stations installed by each carrier comprising the frequency allocation means (see col. 3, lines 8-39).

Regarding claim 12, Kotzin further shows mobile stations and base stations performing exchange of radio signals by means of a CDMA system (see col. 3, lines 28-39).

Claim 13 is rejected for the same reasons as set forth in the rejection of claim 1 above.

Regarding claim 14, Kotzin discloses a frequency allocation method for a radio communication system wherein a plurality of carriers provide radio communication services in overlapping geographical areas (see Fig. 1), using respectively allotted frequency bands each allotted frequency band having a plurality of communication bands (see col. 3, lines 1-67, and assignment of two group spectra or complementary frequency spectra, first and second spectrum (X and Y), see col. 4, lines 5-36), the method comprising: within the frequency bands allotted to each carrier, allotting non-

Art Unit: 2686

adjacent frequency bands, being a communication frequency band which is the highest, and a communication frequency band which is the lowest in the frequency band corresponding to that carrier, to low power communications (allocation of frequencies to high powered transmissions and low-powered transmissions including assignment of similar power levels to adjacent frequencies, which ensures adjacent channel interference being minimized, col. 2, lines 26-67, col. 5, line 66 to col. 6, line 61). See also, col. 4, lines 14-64, col. 7, lines 7-33).

Claim Rejections - 35 USC § 103

5. Claims 3 and 4 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Kotzin et al** as applied to claim 1 above, and further in view of **Laborde et al**. (5,857,154).

Regarding claims 3 and 4 Kotzin as illustrated in figures 3 and 5 the radio communication system comprising cells within which high and low power communications are performed. Kotzin further discloses the assignment of spectral resources based on signal strength measurements as a quality parameter in assigning resources to at least a first spectrum power level and a second spectrum power level (see Fig. 8). Kotzin, however, fails to explicitly teach wherein the communication system comprises macrocells and microcells, with high power communications including communications performed by the macrocells while the low power communications include communications performed by the microcells.

Art Unit: 2686

Laborde discloses a communication network (see Fig. 1) made up of a low tier section (microcell) and a high tier section (macrocell), and in which the low tier sections performing communications with relatively low power while the tier section communicates with relatively high power (see col. 2, lines 30-62).

It would therefore have been obvious to one of ordinary skill in the art to implement that frequency allocation system of Kotzin in a communication system having macrocells and microcells as taught by Laborde in order to ensure the effective utilization of available resources such as frequencies with minimal adjacent channel or frequency interference.

Laborde further suggests that the high tier section compared to the low tier section is also characterized by high transmit power and low voice quality. But the combination of Kotzin and Laborde fail to explicitly teach wherein the high power communications comprise communications with a high demand quality and the low power communications comprise communications with a low demand quality.

Examiner takes Official Notice that the use of high power communications for high demand quality communications and low power for low demand quality communications is very well known in the art and as such it would have been obvious to one of ordinary skill in the art to provide desired communications in the system of Kotzin and Laborde while taking demand quality into consideration in order to ensure proper and effective assignment of available resources for communications in a dynamic manner.

6. Claims 5, 6 and 7 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Kotzin et al** as applied to claim 1 above, and further in view of **Bodin et al**. (5,542,093).

Regarding claim 5, Kotzin further teaches the use of a means for adjusting the partitioning of designated frequency spectrum including means for calculating the loading of the base stations wherein the loading factor is based on data contained in memory of communication transactions per time frame within the service coverage area of the base station (see col. 5, lines 18-44), suggesting a relationship between the rate of use of all frequency bands including non-adjacent frequency bands being allotted for communications regardless of whether they are high power communications or low power communications. Kotzin, fails to teach explicitly teach that among the frequency bands allotted to a carrier, the rate of use of the non-adjacent communication bands is lower than a threshold value.

Bodin discloses a method of re-distributing calls to extended channel groups giving consideration to load capacity of the channels in order to reduce congestion in primary channel groups (see col. 3, lines 1-12). According to Bodin and as illustrated in Figure 3, the numbers of available channels (rate of use indication), in a first and second group are compared to a threshold value (steps 304, 306, 307, and 308) and the group with the most available capacity being selected for communications when the channels available in a group is below the threshold value (see steps 310, 312). See col. 4, lines 34-62.

It would therefore have been obvious to one of ordinary skill in the art to incorporate the dynamic channel allocation based on load available capacities of Bodin into the system of Kotzin in order to balance the grade of service for high quality communications.

Regarding claim 6, Kotzin further teaches the use of a means for adjusting the partitioning of designated frequency spectrum including means for calculating the loading of the base stations wherein the loading factor is based on data contained in memory of communication transactions per time frame within the service coverage area of the base station (see col. 5, lines 18-44), suggesting a relationship between the rate of use of all frequency bands including non-adjacent frequency bands being allotted for communications when a mobile communication is initiated., and Bodin teaches that when the number of available channels in the first and second group is not below a threshold, a channel in any group is assigned to a mobile for communications (steps 307 and 309).

The combination of Kotzin and Bodin fail to teach that when the rate of use of the non-adjacent communication frequency bands becomes greater than or equal to the threshold value, re-allotting the adjacent communication frequency bands to communications allotted to non-adjacent frequency bands.

However, since Bodin teaches assigning a mobile to a channel in any group when the available capacity or rate of use is above or equal to the threshold, it would have been obvious to one of ordinary skill in the art to dynamically change the allotting of the communication resources such as (channels or frequency bands) based on the

Art Unit: 2686

determined rate of use in order to dynamically balance the use of the available communication resources in the combination of Kotzin and Bodin and thus ensure high quality communications.

Regarding claim 7, Kotzin fails to teach switching the threshold value on a network in response to communications traffic.

Bodin teaches that the threshold value can be set at various levels depending upon the desired characteristics of the communication system (see col. 4, lines 62-68).

It would therefore have been obvious to one of ordinary skill in the art to include Bodin's teaching of setting the threshold value at various levels based on desired characteristics of the communication system in Kotzin as modified by Bodin in order to dynamically control communication resource assignments based on desired system characteristics.

Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Gustafson (5,924,036) discloses a method of increasing system capacity by assigning different frequency bands for a microcell and macro (overlaid) cell structures in a CDMA communication system.

Laborde et al. (5,857,154) discloses a multi-protocol mobile telephone network having high tier and low tier systems.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Charles Appiah whose telephone number is 571 272-7904. The examiner can normally be reached on M-F 7:30AM-5:00PM.

Art Unit: 2686

Page 10

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marsha Banks-Harold can be reached on 571 272-7905. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

CA

CHARLES ÁPPIAH PRIMARY EXAMINER